A	oplication No.	Applicant(s)
Notice of Allowability	•	' ' ' '
	10/698,135 Examiner	FLYNN, WILLIAM T. Art Unit
		2754
	hn K. Fristoe Jr.	3751
The MAILING DATE of this communication appears aims being allowable, PROSECUTION ON THE MERITS IS (OF with (or previously mailed), a Notice of Allowance (PTOL-85) or of ICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHE Office or upon petition by the applicant. See 37 CFR 1.313 and	REMAINS) CLOSED in other appropriate communence TS. This application is su	this application. If not included nication will be mailed in due course. TH
This communication is responsive to the amendment filed 6/5/	2006.	
The allowed claim(s) is/are <u>1-7,9-13,15-17,21,22,24,25,27,29-</u>	32,34-38 and 42-50.	
Acknowledgment is made of a claim for foreign priority under a) ☐ All b) ☐ Some* c) ☐ None of the:	-	r (f).
Certified copies of the priority documents have been according to the priority documents.		
2. Certified copies of the priority documents have be		
3. Copies of the certified copies of the priority docum	ients have been received	in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
plicant has THREE MONTHS FROM THE "MAILING DATE" of the ted below. Failure to timely comply will result in ABANDONMEN. IIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
A SUBSTITUTE OATH OR DECLARATION must be submitted INFORMAL PATENT APPLICATION (PTO-152) which gives re		
CORRECTED DRAWINGS (as "replacement sheets") must be	submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's	s Patent Drawing Review	(PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Ar	mendment / Comment or	n the Office action of
Paper No./Mail Date .		
Paper No./Mail Date dentifying indicia such as the application number (see 37 CFR 1.84(each sheet. Replacement sheet(s) should be labeled as such in the h		
dentifying indicia such as the application number (see 37 CFR 1.84(each sheet. Replacement sheet(s) should be labeled as such in the h	leader according to 37 CFF of BIOLOGICAL MATE	RIAL must be submitted. Note the
dentifying indicia such as the application number (see 37 CFR 1.84(ceach sheet. Replacement sheet(s) should be labeled as such in the hard DEPOSIT OF and/or INFORMATION about the deposit of	leader according to 37 CFF of BIOLOGICAL MATE	RIAL must be submitted. Note the
dentifying indicia such as the application number (see 37 CFR 1.84(ceach sheet. Replacement sheet(s) should be labeled as such in the hard DEPOSIT OF and/or INFORMATION about the deposit of	leader according to 37 CFF of BIOLOGICAL MATE	RIAL must be submitted. Note the
dentifying indicia such as the application number (see 37 CFR 1.84(cach sheet. Replacement sheet(s) should be labeled as such in the hard DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT FOR attached Examiner's comment regarding REQUIREMENT FOR	reader according to 37 CFF of BIOLOGICAL MATE R THE DEPOSIT OF BIO	RIAL must be submitted. Note the LOGICAL MATERIAL.
dentifying indicia such as the application number (see 37 CFR 1.84(cach sheet. Replacement sheet(s) should be labeled as such in the hard property of the deposit of attached Examiner's comment regarding REQUIREMENT FOR attached Examiner's comment regarding REQUIREMENT FOR the deposit of the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached Examiner's comment regarding REQUIREMENT FOR the deposit of attached REQUIREMENT FOR the deposit of	eader according to 37 CFF of BIOLOGICAL MATE R THE DEPOSIT OF BIO	RIAL must be submitted. Note the LOGICAL MATERIAL.
dentifying indicia such as the application number (see 37 CFR 1.84(cach sheet. Replacement sheet(s) should be labeled as such in the half of the sheet. Replacement sheet(s) should be labeled as such in the half of the sheet. Replacement sheet(s) about the deposit of attached Examiner's comment regarding REQUIREMENT FOR the sheet of the sheet	peader according to 37 CFF of BIOLOGICAL MATE R THE DEPOSIT OF BIO 5. Notice of Info 6. Interview Su Paper No./N	RIAL must be submitted. Note the LOGICAL MATERIAL. primal Patent Application (PTO-152) mmary (PTO-413), Mail Date
dentifying indicia such as the application number (see 37 CFR 1.84(cach sheet. Replacement sheet(s) should be labeled as such in the half of the sheet. Replacement sheet(s) should be labeled as such in the half of the sheet. Replacement sheet(s) about the deposit of attached Examiner's comment regarding REQUIREMENT FOR the sheet of the sheet	peader according to 37 CFF of BIOLOGICAL MATE R THE DEPOSIT OF BIO 5. Notice of Info 6. Interview Su Paper No./N	RIAL must be submitted. Note the LOGICAL MATERIAL. primal Patent Application (PTO-152) mmary (PTO-413),
dentifying indicia such as the application number (see 37 CFR 1.84(cach sheet. Replacement sheet(s) should be labeled as such in the half DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT FOR the comment of References Cited (PTO-892) Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/08),	seader according to 37 CFF of BIOLOGICAL MATE R THE DEPOSIT OF BIO 5. □ Notice of Info 6. □ Interview Su Paper No./N 7. ⊠ Examiner's A	RIAL must be submitted. Note the LOGICAL MATERIAL. primal Patent Application (PTO-152) mmary (PTO-413), Mail Date

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gregory Kolocouris on 7/24/2006.

The application has been amended as follows:

IN THE CLAIMS:

In claim 1, line 3, --having a stem portion, the elongated portion having a larger diameter than the stem portion--has been added after "portion".

In claim 1, line 9, --at least partially defined by first and second surfaces sized--, has been added after "being".

In claim 1, line 9, "configured" has been deleted from the claim.

In claim 1, lines 9 and 10, "a portion" has been deleted from the claim.

In claim 1, line 10, the second instance of "portion" has been deleted.

In claim 1, line 10, --and stem portions-- has been added after "elongated".

In claim 1, line 10, --respectively; -- has been added after "valve,".

Claim 8 has been canceled.

Claim 14 has been canceled.

In claim 15, line 1, "14" has been replacing with --1--.

In claim 15, line 1, --first surface of the-- has been added after the first instance of "the".

Application/Control Number: 10/698,135

Art Unit: 3751

In claim 15, lines 1 and 2, "includes a surface that" has been deleted from the claim.

In claim 15, line 2, "a segment" has been deleted from the claim.

In claim 15, line 2, --of the valve-- has been added after "portion".

In claim 15, line 2, "an offset" has been deleted.

In claim 15, line 2, --the second-- has been added after "and".

In claim 15, line 2, --of the guide-- has been added after "surface".

In claim 15, line 2, the second instance of "that" has been deleted.

In claim 15, lines 2 and 3, "a segment" has been deleted.

In claim 15, line 3, --of the valve-- has been added after "portion".

In claim 17, line 1, "a portion" has been replaced with -- the second surface--.

In claim 17, line 2, "a portion" has been replaced with -- the stem portion--.

In claim 17, line 3, "guide" has been replaced with --valve--.

In claim 34, line 5, --with a first diameter, and a stem portion with a second diameter that is less than the first diameter-- has been added after "portion".

In claim 34, line 10, --at least partially defined first and second surfaces-- has been added after "being".

In claim 34, line 10, "receive the" has been deleted from the claim.

In claim 34, line 11, "portion" has been replaced with -- and stem portions--.

In claim 34, line, 11, "valve;" has been replaced with --valve, respectively;--.

In claim 34, line 17, "elongated" has been replaced with --stem--.

In claim 34, line 18, --first surface of the-- has been added after the second instance of "the".

Application/Control Number: 10/698,135

Art Unit: 3751

In claim 35, line 6, "ellipsoid," has been replaced with --ellipsoid, the valve including an elongated portion with a first diameter and a stem portion with a second diameter that is less than the first diameter;--.

In claim 35, line 7, "for receiving at least a portion of the valve," has been replaced with --being at least partially defined by and second surfaces,--.

In claim 35, lines 11-12, "at least a portion of the valve is disposed in the central opening" has been replaced with --the first and second surfaces--.

In claim 35, line 12, ";" has been replaced with --slidably engage the elongated and stem portions of the valve, respectively;--.

The above amendments were made in order to overcome a potential prior art rejection.

Information Disclosure Statement

2. The information disclosure statement filed 6/5/2006 is acknowledged by the examiner.

Allowable Subject Matter

- 3. Claims 1-7, 9-13, 15-17, 21, 22, 24, 25, 27, 29-32, 34-38, and 42-50 are allowed.
- 4. The following is an examiner's statement of reasons for allowance: U.S. Pat. No. 2,594,641 (Griffih et al.) discloses a valve assembly comprising a body (11), a cavity (18), a valve (17), a stem portion (20), a guide (23), an opening (within element 24), a plurality of radially disposed formations (26), and a connection element (feet attached to element 26 in figure 4) but lacks a valve member having a shape of a modified ellipsoid and the elongated

Art Unit: 3751

portion having a larger diameter than the stem portion so that the opening having first and second

surfaces that receive the elongated portion and the stem portion.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to John K. Fristoe Jr. whose telephone number is (571) 272-4926.

The examiner can normally be reached on Monday-Friday, 7: 00 a.m-4: 30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Justine R. Yu can be reached on (571) 272-4835. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John K. Fristoe Jr.

Examiner

Art Unit 3751

JKF

EDWARD K. LOOK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

0/4/06